Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	24090	(document or (stored adj object) or object) with (attribue or ((creat$6 or generat$6) near (date or time)) or identifier)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 11:12
L2	1382	1 and (access adj (type or control$7 or right)) same (doucment or (stored adj object) or object)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 10:43
L3	189	1 and (access adj (type or control$7 or right)) same (doucment or (stored adj object) or object) same retriev$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 10:50
L4	103	3 and ("707"/$.ccls. or "713"/$. ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 10:44
L5	22	3 and ("707"/9.ccls. or "713"/200, "201".ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 10:54
L6	67	(document or (stored adj object) or object) with (attribue or ((creat$6 or generat$6) near date)) and (access adj control$6 adj list) and (access adj (type or right))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 11:08
L7	23	6 and (user or client) adj list	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 10:53
L8	11	6 and ("707"/9.ccls. or "713"/200, "201".ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 11:04
L9	9	8 and retriev$6 with (document or object or object identifier)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 11:06

L10	4	8 and retriev$6 with (document or (stored adj object) or (object near identifier))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 11:07
L11	3191	1 and retriev$6 near4 (document or (stored adj object) or (object near identifier))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 11:08
L12	38	11 and (document or (stored adj object) or object) with (attribue or ((creat$6 or generat$6) near date)) and (access adj control$6 adj list) and (access adj (type or right))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 11:09
L13	5	11 and (document or (stored adj object) or (identifer near object)) with ((access adj control$6 adj list) and (access adj (type or right)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 11:15
L14	789	(document or (stored adj object) or (identifier near object)) near9 (attribue or ((creat$6 or generat$6) near (date or (date near time) or timestamp$6 or (time adj stamp$6))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 11:19
L15	4	14 and (document or (stored adj object) or (identifer near object)) with ((access adj control$6 adj list) and (access adj (type or right)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 11:15
L16	4	14 and (document or (stored adj object) or (identifier near object)) with ((access adj control$6 adj list) and (access adj (type or right)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 11:16
L17	0	14 and (retriev$6 with (document or (stored adj object) or (object near identifier))) same ((access adj control$6 adj list) and (access adj (type or right)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 11:17
L18	18	14 and (retriev$6 with (document or (stored adj object) or (object near identifier))) same ((access adj control$6 adj list) or (access adj (type or right)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 11:20

L19	791	(document or (stored adj object) or (identifier near2 object)) near9 (attribue or ((creat$6 or generat$6) near (date or (date near time) or timestamp$6 or (time adj stamp$6))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 11:19
L20	22	19 and (retriev$6 with (document or (stored adj object) or (object near2 identifier))) same ((access adj control$6) or (access adj (type or right)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 11:20